

TS-1677X-1700-16G

Processzor	AMD Ryzen™ 7 1700 8-core/16-thread 3.0 GHz processor, Turbo Core 3.7 GHz Architecture: 64-bit Graphics: Optional (with PCIe expansion card) Encryption Engine: AES-NI
Rendszermemória	16 GB DDR4 (2 x 8 GB)
Maximális memória	64 GB (4 x 16 GB)
Memória foglalat	4 x Long-DIMM slots (For dual- or quad-DIMM configurations, you must use a pair of identical DDR4 modules.)
Meghajtó helyek	12 x 3.5-inch SATA 6 Gbps bays 4 x 2.5-inch SATA 6 Gbps bays
Meghajtó kompatibilitás	3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives 2.5-inch bays: 2.5-inch solid state drives
10 Gigabit Ethernet port	2 x 10GBASE-T RJ45, supporting 10G/5G/2.5G/1G/100M Note: Please use CAT6a or CAT 7 LAN cables (sold separately) to achieve 10GbE speed
Gigabit Ethernet port	4 x RJ45
USB port	8 x USB 3.0 Front: 1 x USB 3.0 Type-A (Note: It comes with the One-Touch Copy button) Back: 6 x USB 3.0 Type-A; 1 x USB 3.0 Type-C
PCIe bővíthely	Slot 1: Gen3 x8 Slot 2: Gen3 x4 Slot 3: Gen2 x4
HDMI kimenet	Optional: With PCIe expansion card
USB One Touch Copy	Front: USB 3.0 Type-A

Audio	<p>2 x 3.5 mm dynamic microphone jacks</p> <p>1 x 3.5 mm line-out jack</p> <p>1 x speaker</p> <p>Alarm buzzer</p> <p>Note: You cannot use the speakers and the line-out jack simultaneously.</p>
IR szenzor	<p>Yes</p> <p>Note: Requires an optional graphics card and RM-IR004 remote control</p>
Kialakítás	Tower
Méreték (ma x szé x mé)	<p>303.84 x 369.89 x 319.8 mm</p> <p>11.96 x 14.56 x 12.59 inch</p>
Súly	13.39 kg (29.52 lbs)
Tápegység	550W, 100-240V AC, 50/60Hz
Ventilátor	<p>System: 3 x 9.2cm fan (12V DC)</p> <p>CPU: 2 x 9cm fan</p>
Működési hőmérséklet és relatív páratartalom	0 ~ 40°C (32°F ~ 104°F), 5 ~ 95% RH non-condensing, wet bulb: 27°C (80.6°F)
Biztonsági zár csatlakozó	Kensington security slot

Note: Use only QNAP memory modules to maintain system performance and stability. For NAS devices with more than one memory slot, use QNAP modules with identical specifications. Warning: Using unsupported modules may degrade performance, cause errors, or prevent the operating system from starting.

* Sound Level Test Environment: Refer to ISO 7779; Maximum HDD loaded; Bystander Position; Average data from 1 meter in front of operating NAS.

Designs and specifications are subject to change without notice.